

Installation Instructions





1. Attach the steel legs to the base of the instrument with the M8 Nyloc Nuts and 2 part security caps. **(1.1) (See Assembly Guide)**

2. Attach Ground Fixing posts to legs **(1.2) (See Ground Fix Post Installation Sheet)**

3. **Excavate 1 hole** for the Steel legs **250mm diameter by 350-500mm deep** depending on Key stage, in desired location upon decision from customer.

4. Locate (lower) leg into holes making sure they are vertical and level prior to concreting in place.

5. Once happy with location of the Instrument, **fill** holes using rapid hardening **concrete**. Be sure to compact concrete around legs and leave to dry according to manufactures guidelines.



Ground Fixed
Music Book
Page 1 of 3



Instrument Components:



-  x4
M8 Nyloc Nut
-  x4
2 Part Cover Cap M8

Metric Conversion:
250mm/ 10"
300mm/ 12"
450mm/ 18"
700mm/ 28"
850mm/ 33"
1.5m/ 59"

Weight of heaviest part **10kg** (Music Book)



Ground Fix Components:

-  x2
M10x200 Bolt
-  x4
M10 Nut

Spares available from
percussionplay.com or from your
local distributor

19.5 Kg

Ground Fixed




Music Book
Page 2 of 3



Instrument Components:

 x4
M8 Nyloc Nut


 x4
2 Part Cover Cap M8





COMPONENTS LIST:

 2 Part Cover Cap M8 X4

 M8 Nyloc nut X4

 M10 Nut X4

 M10x200 Threaded Bar X2



PPMUSI FRONT

PPMUSI SIDE



Ground Fix
Components:


 x2
M10x200 Bolt

 x4
M10 Nut

Spares available from
percussionplay.com or from your
local distributor


19.5 Kg

Ground Fix Post Installation




1

Insert M10x 200 Threaded bar into pre drilled holes in Ground Fixing Post



2


Fix M10x 200 Threaded bar in place using M10 Nuts



3

Excavate a hole with a 250mm diameter tapering down to 350mm diameter and 350mm depth


Foundations should not present a hazard. These foundations are recommended as a guide, for more information on foundation details for various surface see Part 7 of BS EN 1176.



4


Compact base of hole with 50mm of aggregate. Lower ground Fix post attached of instrument into hole (check instrument straight and level before filling with concrete)

300mm min depth



5

Fill hole with fast drying concrete to manufacturers specifications.



Ground Fixed

Music Book
Page 3 of 3



Components:

-  x2
- M10x200 Bolt
-  x4
- M10 Nut

Metric Conversion:
50mm/ 2"
250mm/ 10"
300mm/ 12"
350mm/ 14"
400mm/ 16"
450mm/ 18"